

Phone: 1-800-565-4314 **Fax:** 1-902-893-1652

www.clarencefarmservices.com

H-O PIG STARTENA LS

Code 2066

Pig Starter Ration

Purina H-O PIG STARTENA LS is a nutrient dense starter feed for piglets weighing 10-25 kg. **H-O PIG STARTENA LS** may be fed following weaning.



FEATURES	BENEFITS
Complete pelleted/checker feed	Saves time and labour Eliminates the chance of an on-farm mixing error Reduces capital investment Better consumption and utilization than a meal form Reduces waste
Very palatable	Highly digestible ration which is ideal for a young pig's digestive system Maximizes consumption High nutrient density for good growth and feed efficiency
Contains added fat	Improves feed conversion Reduces dust resulting in a better environment
Nutrient balance	Specific balance of amino acids, energy, vitamins and minerals
Contains Lincomycin Spectinomycin (LS)	Prevents sickness when piglets are most susceptible to disease Aids in he prevention of Swine Dysentery in growing swine only
Manufactured in a HACCP approved plant with high standards of biosecurity and quality	Consistent quality feed Showing our commitment to feed safety and customer satisfaction
Purina feed manufactured in Atlantic Canada	Minimizes transport cost Optimizes freshness





H-O PIG STARTENA LS Code 2066

Feed Purina **H-O PIG STARTENA** continuously as the sole ration for pigs from one week past weaning to 25 kg body weight. Follow with Purina hog grower ration.





GUARANTEED ANALYSIS

Crude Protein	Min. 19.00%
Crude Fat	Min. 5.00%
Crude Fibre	Max. 5.00%
Sodium	Actual 0.20%
Calcium	Actual 0.80%
Phosphorus	Actual 0.65%
Copper	Actual 125 mg/kg
Zinc	Actual 200 mg/kg
Vitamin A	Min. 9,000 IU/kg
Vitamin D₃	Min. 1,500 IU/kg
Vitamin E	Min. 60 IU/kg
Selenium	0.30 mg/kg

Do not feed or allow access to **H-O PIG STARTENA** to horses, cattle, sheep, deer, rabbits, hamsters, guinea fowl, or any other ruminants.

Warning: Treated animals must not be slaughtered for use in food, for at least 24 hours after treatment with this drug.

OPTIMIZE YOUR PIG'S DIET

Clarence Farm Services Ltd. recommends you follow these management practices:

- 1. Provide a source of clean, fresh water at all times.
- 2. Any ration change should be made gradually. In order to reduce weaning stress, the pig's ration should not be changed within 5 days of weaning.
- 3. Provide fresh feed daily and prevent feed from accumulating and mould development in feeders.
- 4. Provide adequate space in a draft-free, clean, dry and well ventilated environment.
- 5. Treated swine occasionally show a softening of the stool within 36 hours of the onset of treatment. This condition should be self correcting in 5 to 8 days. Swine showing profuse diarrhea or continued looseness past this time should be withdrawn from the medication and the cause of the problem accurately diagnosed.

Consult your veterinarian for recommended health programs for your local area. This includes internal and external parasites.

These recommendations are intended as a guide. They should be adjusted to variables of management, environment and individual needs. If necessary, consult your local Purina Dealer or Clarence Farm Services Ltd. Farm Consultant.

25 kg bags

2037 H-O PIG STARTENA without medication: Available Bulk or minimum 80 bag custom order only

April 2015



